

L Number	Hits	Search Text	DB	Time stamp
-	0	queue same ((two adj dimensional) near3 array) same (circular near3 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:18
-	1	queue same ((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:28
-	1	(queue same ((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or buffer))) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:48
-	1	queue same ((two adj dimensional) near3 (array or buffer)) same circular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:47
-	3	queue same dimensional near3 (array or buffer) same circular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:48
-	1	(queue same dimensional near3 (array or buffer) same circular) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:16
-	809	dimensional near3 (array or buffer) same circular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:49
-	11	(dimensional near3 (array or buffer) same circular) and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:49
-	5	((dimensional near3 (array or buffer) same circular) and queue) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:50
-	654	two adj dimensional near3 (array or buffer) same circular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:32
-	654	(two adj dimensional) near3 (array or buffer) same circular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:55
-	2	((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:50
-	0	((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin)) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:53
-	4	(two adj dimensional) near3 (array or buffer) same circular same search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:51

	449	((two adj dimensional) near3 (array or buffer) same circular) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:56
	183	((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:56
	2	((two adj dimensional) near3 (array or buffer) same circular same search) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:19
	6	((two adj dimensional) near3 (array or buffer)) same circular same software	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:33
	3	((two adj dimensional) near3 (array or buffer)) same circular same software) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:53
	1548	(buffer or queue) with generated with (software or program or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:51
	12	(buffer or queue) with generated with (software or program or application) with circular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:38
	6	((buffer or queue) with generated with (software or program or application) with circular) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:38
	123	((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or buffer))) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:44
	2211164	((two adj dimensional) near3 (array or buffer or queue)) same (circular near3 (array or buffer or queue)) same message or data) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:45
	11	((two adj dimensional) near3 (array or buffer or queue)) same (circular near3 (array or buffer or queue)) same (message or data)) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:45
	333	(buffer or queue) near3 generated with (software or program or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:51
	333	((buffer or queue) near3 generated) with (software or program or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:52
	1	((buffer or queue) near3 generated) with (software or program or application) same ((two adj dimensional) near3 (array or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:53

	1	((buffer or queue) near3 generated) with (software or program or application) same ((two adj dimensional) near3 (array or buffer or queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:53
	1	(((buffer or queue) near3 generated) with (software or program or application) same ((two adj dimensional) near3 (array or buffer or queue))) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:53
	5	(round adj robin) same (queue or buffer) same (message with ready)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:49
	1	((round adj robin) same (queue or buffer) same (message with ready)) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 15:26
	19	(round adj robin) same (queue or buffer) same (ready with transmit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:49
	10	((round adj robin) same (queue or buffer) same (ready with transmit)) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:49
	1460	(370/412).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:08
	1438	((370/412).CCLS.) and ((free or empt\$3 or available) with (buffer or memory or queue) same message or data or block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:11
	1437	((370/412).CCLS.) and ((indicat\$3 or stat\$2) same (free or empt\$3 or available) with (buffer or memory or queue) same message or data or block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:34
	1437	((370/412).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same message or data or block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:18
	879	((370/412).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same message or data or block)) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:18
	10	((370/412).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 10:18
	6	((370/412).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block))) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:50
	373	((370/412).CCLS.) and ((indicat\$3 or stat\$2) same (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:35

	244	((370/412).CCLS.) and ((indicat\$3 or stat\$2) same (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block))) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:49
	70	((370/412).CCLS.) and ((search\$3 or find\$3 or locat\$2) with (free or empt\$3 or available) same (buffer or memory or queue) same (message or data or block or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:49
	60	((370/412).CCLS.) and ((search\$3 or find\$3 or locat\$2) with (free or empt\$3 or available) same (buffer or memory or queue) same (message or data or block or packet)) not ((370/412).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 10:07
	44	((370/412).CCLS.) and ((search\$3 or find\$3 or locat\$2) with (free or empt\$3 or available) same (buffer or memory or queue) same (message or data or block or packet)) not ((370/412).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block))) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 10:09
	1130	(search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:58
	1130	((search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block)) not (((370/412).CCLS.) and ((search\$3 or find\$3 or locat\$2) with (free or empt\$3 or available) same (buffer or memory or queue) same (message or data or block or packet))) not ((370/412).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 10:08
	811	((search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block)) not (((370/412).CCLS.) and ((search\$3 or find\$3 or locat\$2) with (free or empt\$3 or available) same (buffer or memory or queue) same (message or data or block or packet))) not ((370/412).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block)))) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 10:18
	2132	((710/52) or (710/53) or (710/54) or (710/55) or (710/56) or (710/57)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 10:17
	29	((710/52) or (710/53) or (710/54) or (710/55) or (710/56) or (710/57)).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 10:18
	23	((710/52) or (710/53) or (710/54) or (710/55) or (710/56) or (710/57)).CCLS.) and (search\$3 with (free or empt\$3 or available) with (buffer or memory or queue) same (message or data or block)) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 10:25

	3541	((710/52) or (710/53) or (710/54) or (710/55) or (710/56) or (710/57)).CCLS.) or ((370/412).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/05 10:25
--	------	--	---	------------------